



Client Inventory Report

Date generated: Apr 08 2009 04:06PM

Client: D-Tech Consulting

	Servers	12
	Workstations	10
	Laptops	6

Operating Systems

Microsoft Windows XP	1
Microsoft Windows XP Professional	15
Microsoft(R) Windows(R) Server 2003, Standard Edition	11
Microsoft® Windows Server® 2008 Standard	1

Servers

DTECH1

Dell Inc. PowerEdge 1950

Role: 4
 IP: 192.168.xxx.xx (00:1D:09:69:81:C3)
 Last Scanned: Apr-07-2009 12:02PM
 Dell Service Tag: [ABC1234](#)

Microsoft Windows Server 2008
 Standard Service Pack 1 (build 6001)

Windows Serial No.: 00000-000-0000000-00000
 Windows Product Key: XXXXX-XXXXX-XXXXX-XXXXX-XXXXX

- Intel(R) Xeon(R) CPU 5110 @ 1.60GHz (1.60GHz, 4096KB Level 2 cache)
- Phoenix ROM BIOS PLUS Version 1.10 2.2.6: DELL - 1, 2.2.6
- 2,048 MB RAM
- DELL PERC 6/i SCSI Disk Device 136.12GB SCSI
- Dell Virtual Floppy USB Device 0.00GB USB







DTECH2

Dell Computer Corporation PowerEdge 860

Role: 5
 IP: 192.168.xxx.xx (00:1D:09:F1:E5:60)
 Last Scanned: Apr-07-2009 12:02PM
 Dell Service Tag: [ABC1234](#)

Microsoft Windows Server 2003, Standard Edition Service Pack 2 (build 3790)

Windows Serial No.: 00000-000-00000000-00000
 Windows Product Key: XXXXX-XXXXX-XXXXX-XXXXX-XXXXX

-  Intel(R) Core(TM)2 Duo CPU E4500 @ 2.20GHz (2.20GHz, 2048KB Level 2 cache)
-  Intel(R) Core(TM)2 Duo CPU E4500 @ 2.20GHz (2.20GHz, 2048KB Level 2 cache)
-  Phoenix ROM BIOS PLUS Version 1.10 A05: DELL - 1, A05
-  2,048 MB RAM
-  Dell VIRTUAL DISK SCSI Disk Device 135.97GB SCSI
-  WD 6400AAV External USB Device 596.17GB USB







DTECH3

Dell Computer Corporation PowerEdge 2600

Role: 4
 IP: 192.168.xxx.xx (00:0B:DB:92:25:83)
 Last Scanned: Apr-07-2009 12:02PM
 Dell Service Tag: [ABC1234](#)

Microsoft Windows Server 2003, Standard Edition Service Pack 2 (build 3790)

Windows Serial No.: 00000-000-00000000-00000
 Windows Product Key: XXXXX-XXXXX-XXXXX-XXXXX-XXXXX

-  Intel(R) Xeon(TM) CPU 2.80GHz (2.80GHz, 512KB Level 2 cache)
-  Intel(R) Xeon(TM) CPU 2.80GHz (2.80GHz, 512KB Level 2 cache)
-  Phoenix ROM BIOS PLUS Version 1.10 A14: DELL - 1, A14
-  2,048 MB RAM
-  PERC LD 0 PERCRAID SCSI Disk Device 33.87GB SCSI
-  PERC LD 1 PERCRAID SCSI Disk Device 101.60GB SCSI






DTECHD1

Dell Computer Corporation PowerEdge 1850

Role: 3
IP: 192.168.xxx.xx (00:11:43:D8:7D:7A)
Last Scanned: Apr-07-2009 12:02PM
Dell Service Tag: [ABC1234](#)

Microsoft Windows Server 2003, Standard Edition Service Pack 2 (build 3790)

Windows Serial No.: 00000-000-00000000-00000
Windows Product Key: XXXXX-XXXXX-XXXXX-XXXXX-XXXXX

-  Intel(R) Xeon(TM) CPU 3.00GHz (3.00GHz, 1024KB Level 2 cache)
-  Intel(R) Xeon(TM) CPU 3.00GHz (3.00GHz, 1024KB Level 2 cache)
-  Intel(R) Xeon(TM) CPU 3.00GHz (3.00GHz, 1024KB Level 2 cache)
-  Intel(R) Xeon(TM) CPU 3.00GHz (3.00GHz, 1024KB Level 2 cache)
-  Phoenix ROM BIOS PLUS Version 1.10 A06: DELL - 1, A06
-  4,096 MB RAM
-  PERC LD 0 PERCRAID SCSI Disk Device 136.87GB SCSI



DTECHD3

Intel S5000VSA

Role: 3
IP: 192.168.xxx.xx (00:15:17:18:11:E8)
Last Scanned: Mar-24-2009 12:07PM
Serial Number:

Microsoft Windows Server 2003, Standard Edition Service Pack 2 (build 3790)

Windows Serial No.: 00000-000-00000000-00000
Windows Product Key: XXXXX-XXXXX-XXXXX-XXXXX-XXXXX

-  Intel(R) Xeon(R) CPU 5130 @ 2.00GHz (2.00GHz, KB Level 2 cache)
-  Intel(R) Xeon(R) CPU 5130 @ 2.00GHz (2.00GHz, 4096KB Level 2 cache)
-  BIOS Date: 01/24/07 12:28:02 Ver: 08.00.10: INTEL - 0, S5000.86B.06.00.0074.020220071613
-  4,096 MB RAM
-  Intel MegaSR SCSI Disk Device 464.73GB SCSI
-  WD My Book USB Device 931.51GB USB
-  WD My Book USB Device 465.76GB USB







DTECHF1

Dell Computer Corporation PowerEdge 2800

Role: 3
IP: 192.168.xxx.xx (00:11:43:EF:BD:78)
Last Scanned: Apr-07-2009 12:02PM
Dell Service Tag: [ABC1234](#)

Microsoft Windows Server 2003, Standard Edition Service Pack 2 (build 3790)

Windows Serial No.: 00000-000-0000000-00000
Windows Product Key: XXXXX-XXXXX-XXXXX-XXXXX-XXXXX

-  Intel(R) Xeon(TM) CPU 3.40GHz (3.40GHz, 1024KB Level 2 cache)
-  Intel(R) Xeon(TM) CPU 3.40GHz (3.40GHz, 1024KB Level 2 cache)
-  Phoenix ROM BIOS PLUS Version 1.10 A06: DELL - 1, A06
-  4,096 MB RAM
-  PERC LD 0 PERCRAID SCSI Disk Device 409.86GB SCSI
-  ST350084 1A USB Device 465.76GB USB





DTECHM1

Dell Inc. PowerEdge 2950

Role: 3
IP: 192.168.xxx.xx (00:1C:23:CE:3B:85)
Last Scanned: Apr-07-2009 12:02PM
Dell Service Tag: [ABC1234](#)

Microsoft Windows Server 2003, Standard Edition Service Pack 2 (build 3790)

Windows Serial No.: 00000-000-0000000-00000
Windows Product Key: XXXXX-XXXXX-XXXXX-XXXXX-XXXXX

-  Intel(R) Xeon(R) CPU 5148 @ 2.33GHz (2.30GHz, 4096KB Level 2 cache)
-  Intel(R) Xeon(R) CPU 5148 @ 2.33GHz (2.30GHz, 0KB Level 2 cache)
-  Phoenix ROM BIOS PLUS Version 1.10 1.5.1: DELL - 1, 1.5.1
-  4,096 MB RAM
-  DELL PERC 5/i SCSI Disk Device 67.75GB SCSI
-  DELL PERC 5/i SCSI Disk Device 135.50GB SCSI











DTECHS1

Dell Inc. PowerEdge 2950

Role: 3
 IP: 192.168.xxx.xx (00:1D:09:25:A8:ED)
 Last Scanned: Apr-07-2009 12:02PM
 Dell Service Tag: [ABC1234](#)

Microsoft Windows Server 2003,
Standard Edition Service Pack 2
(build 3790)

Windows Serial No.: 00000-000-0000000-00000
 Windows Product Key: XXXXX-XXXXX-XXXXX-XXXXX-XXXXX

-  Intel(R) Pentium(R) III Xeon processor (2.50GHz, 12288KB Level 2 cache)
-  Intel(R) Pentium(R) III Xeon processor (2.50GHz, 12288KB Level 2 cache)
-  Intel(R) Pentium(R) III Xeon processor (2.50GHz, 12288KB Level 2 cache)
-  Intel(R) Pentium(R) III Xeon processor (2.50GHz, 12288KB Level 2 cache)
-  Intel(R) Pentium(R) III Xeon processor (2.50GHz, 12288KB Level 2 cache)
-  Intel(R) Pentium(R) III Xeon processor (2.50GHz, 12288KB Level 2 cache)
-  Intel(R) Pentium(R) III Xeon processor (2.50GHz, 12288KB Level 2 cache)
-  Intel(R) Pentium(R) III Xeon processor (2.50GHz, 12288KB Level 2 cache)
-  Phoenix ROM BIOS PLUS Version 1.10 2.0.1: DELL - 1, 2.0.1
-  8,192 MB RAM
-  DELL PERC 6/i SCSI Disk Device 278.87GB SCSI
-  DELL PERC 6/i SCSI Disk Device 557.75GB SCSI
-  Dell Virtual Floppy USB Device 0.00GB USB



DTECHW1

Dell Inc. PowerEdge 2950

Role: 3
 IP: 192.168.xxx.xx (00:1C:23:DA:73:F9)
 Last Scanned: Oct-15-2008 03:07PM
 Dell Service Tag: [ABC1234](#)

Microsoft Windows Server 2003,
Standard Edition Service Pack 2
(build 3790)

Windows Serial No.: 00000-000-0000000-00000
 Windows Product Key: XXXXX-XXXXX-XXXXX-XXXXX-XXXXX

-  Intel(R) Xeon(R) CPU 5150 @ 2.66GHz (2.70GHz, 4096KB Level 2 cache)
-  Intel(R) Xeon(R) CPU 5150 @ 2.66GHz (2.70GHz, 0KB Level 2 cache)
-  Phoenix ROM BIOS PLUS Version 1.10 2.0.1: DELL - 1, 2.0.1
-  4,096 MB RAM
-  DELL PERC 5/i SCSI Disk Device 272.24GB SCSI



 DTECHW1

Dell Inc. PowerEdge 2950

Role: 3
 IP: 192.168.xxx.xx (00:1C:23:DA:73:FB)
 Last Scanned: Apr-07-2009 12:02PM
 Dell Service Tag: [ABC1234](#)

Microsoft Windows Server 2003,
Standard Edition Service Pack 2
(build 3790)

Windows Serial No.: 00000-000-00000000-00000
 Windows Product Key: XXXXX-XXXXX-XXXXX-XXXXX- XXXXX

-  Intel(R) Xeon(R) CPU 5150 @ 2.66GHz (2.70GHz, 4096KB Level 2 cache)
-  Intel(R) Xeon(R) CPU 5150 @ 2.66GHz (2.70GHz, 0KB Level 2 cache)
-  Phoenix ROM BIOS PLUS Version 1.10 2.0.1: DELL - 1, 2.0.1
-  4,096 MB RAM
-  DELL PERC 5/i SCSI Disk Device 272.24GB SCSI
-  DELL PERC 5/i SCSI Disk Device 272.24GB SCSI






 DTECHW2

VMware, Inc. VMware Virtual Platform

Role: 3
 IP: 192.168.xxx.xx (00:0C:29:0E:B8:B4)
 Last Scanned: Oct-12-2008 03:10AM
 Serial Number: VMware-56 aa aa aa aa aa aa-aa 23 23

Microsoft Windows Server
2003, Standard Edition
Service Pack 2 (build 3790)

Windows Serial No.: 00000-000-00000000-00000
 Windows Product Key: XXXXX-XXXXX-XXXXX-XXXXX-XXXXX

-  Intel(R) Xeon(R) CPU 5150 @ 2.66GHz (2.70GHz, 0KB Level 2 cache)
-  Intel(R) Xeon(R) CPU 5150 @ 2.66GHz (2.70GHz, KB Level 2 cache)
-  PhoenixBIOS 4.0 Release 6.0: PTLTD - 6040000, 6.00
-  1,592 MB RAM
-  VMware, VMware Virtual S SCSI Disk Device 39.99GB SCSI


 DTECHW3


Intel SE7210TP1-E


Role: 3
 IP: 192.168.xxx.xx (00:02:B3:E9:C4:64)
 Last Scanned: Mar-31-2009 12:06PM
 Serial Number: 0000000000


Microsoft Windows Server 2003,
Standard Edition Service Pack 2
(build 3790)

Windows Serial No.: 00000-000-0000000-00000
 Windows Product Key: XXXXX-XXXXX-XXXXX-XXXXX-XXXXX

 Intel(R) Pentium(R) 4 CPU 3.20GHz (3.20GHz, 1024KB Level 2 cache)

 Intel(R) Pentium(R) 4 CPU 3.20GHz (3.20GHz, 1024KB Level 2 cache)

 SE7210TP10 Production BIOS Version 06.00, Build 0035: A M I - 9000408, SE7210TP10.86B.P.06.00.0035.090820041952

 3,072 MB RAM

 ADAPTEC RAID 1 SCSI Disk Device 33.91GB SCSI

Workstations




DESKTOP01


Dell Inc. Precision WorkStation 670


Role: 1
 IP: 192.168.xxx.xx (00:0F:1F:8A:69:E5)
 Last Scanned: Apr-07-2009 12:02PM
 Dell Service Tag:


Microsoft Windows XP Service
Pack 3

Windows Serial No.: 00000-000-0000000-00000
 Windows Product Key: XXXXX-XXXXX-XXXXX-XXXXX-XXXXX

 Intel(R) Xeon(TM) CPU 3.60GHz (3.60GHz, 0KB Level 2 cache)

 Intel(R) Xeon(TM) CPU 3.60GHz (3.60GHz, 0KB Level 2 cache)

 Phoenix ROM BIOS PLUS Version 1.10 A07: DELL - 7, A07

 4,096 MB RAM

 WDC WD1600JD-75HBB0 149.01GB IDE

 WDC WD1600JD-75HBB0 149.01GB IDE



DESKTOP02

Dell Inc. OptiPlex 760

Role: 1
IP: 192.168.xxx.xx (00:21:9B:74:33:E2)
Last Scanned: Apr-07-2009 12:02PM
Dell Service Tag: [ABC1234](#)

Microsoft Windows XP Professional Service Pack 3 (build 2600)

Windows Serial No.: 00000-000-0000000-00000
Windows Product Key: XXXXX-XXXXX-XXXXX-XXXXX-XXXXX

-  Intel(R) Core(TM)2 Duo CPU E7300 @ 2.66GHz (2.70GHz, 3072KB Level 2 cache)
-  Phoenix ROM BIOS PLUS Version 1.10 A00: DELL - 15, A00
-  2,048 MB RAM
-  ST3250310AS 232.83GB IDE



DESKTOP03

Dell Inc. OptiPlex 755

Role: 1
IP: 192.168.xxx.xx (00:21:9B:66:36:48)
Last Scanned: Apr-07-2009 12:02PM
Dell Service Tag: [ABC1234](#)

Microsoft Windows XP Professional Service Pack 3 (build 2600)

Windows Serial No.: 00000-000-0000000-00000
Windows Product Key: XXXXX-XXXXX-XXXXX-XXXXX-XXXXX

-  Intel Pentium III Xeon processor (2.70GHz, 12288KB Level 2 cache)
-  Phoenix ROM BIOS PLUS Version 1.10 A11: DELL - 15, A11
-  4,096 MB RAM
-  TEAC USB HS-CF Card USB Device 0.00GB USB
-  TEAC USB HS-MS Card USB Device 0.00GB USB
-  TEAC USB HS-SD Card USB Device 0.00GB USB
-  TEAC USB HS-xD/SM USB Device 0.00GB USB
-  WDC WD1600HLFS-75G6U0 149.01GB IDE




DESKTOP04


System manufacturer System Product Name


Role: 1
 IP: 192.168.xxx.xx (00:13:D4:28:3D:EA)
 Last Scanned: Apr-07-2009 12:02PM
 Serial Number: System Serial Number


Microsoft Windows XP Professional Service Pack 3 (build 2600)


Windows Serial No.: 00000-000-0000000-00000
 Windows Product Key: XXXXX-XXXXX-XXXXX-XXXXX-XXXXX

 Intel(R) Pentium(R) 4 CPU 3.20GHz (3.20GHz, 0KB Level 2 cache)

 BIOS Date: 03/20/06 19:00:40 Ver: 08.00.10: A M I - 3000620, 0603

 2,048 MB RAM

 ST3200822AS 186.31GB IDE

 VIA-P VT6205-DevB USB Device 0.00GB USB

 VIA-P VT6205-DevM USB Device 0.00GB USB

 WDC WD740ADFD-00NLR1 69.24GB IDE




DESKTOP05


Dell Inc. Precision WorkStation 670


Role: 1
 IP: 192.168.xxx.xx (00:12:3F:30:33:6F)
 Last Scanned: Apr-07-2009 12:02PM
 Dell Service Tag: [ABC1234](#)

Microsoft Windows XP Professional Service Pack 3 (build 2600)


Windows Serial No.: 00000-000-0000000-00000
 Windows Product Key: XXXXX-XXXXX-XXXXX-XXXXX-XXXXX


 Intel(R) Xeon(TM) CPU 3.60GHz (3.60GHz, 0KB Level 2 cache)

 Intel(R) Xeon(TM) CPU 3.60GHz (3.60GHz, 0KB Level 2 cache)

 Phoenix ROM BIOS PLUS Version 1.10 A07: DELL - 7, A07

 4,096 MB RAM

 ST3160023AS 149.01GB IDE

 ST3160023AS 149.01GB IDE



DESKTOP06

Dell Inc. OptiPlex 745

Role: 1
IP: 192.168.xxx.xx (00:19:B9:30:BA:A2)
Last Scanned: Nov-11-2008 12:02PM
Dell Service Tag: [ABC1234](#)

Microsoft Windows XP Professional Service Pack 3 (build 2600)

Windows Serial No.: 00000-000-0000000-00000
Windows Product Key: XXXXX-XXXXX-XXXXX-XXXXX-XXXXX

-  Intel(R) Core(TM)2 CPU 6400 @ 2.13GHz (2.10GHz, 2048KB Level 2 cache)
-  Phoenix ROM BIOS PLUS Version 1.10 2.6.2: DELL - 15, 2.6.2
-  3,072 MB RAM
-  SAMSUNG SP2504C 232.83GB IDE
-  TEAC USB HS-CF Card USB Device 0.00GB USB
-  TEAC USB HS-MS Card USB Device 0.00GB USB
-  TEAC USB HS-SD Card USB Device 0.00GB USB
-  TEAC USB HS-xD/SM USB Device 0.00GB USB
-  WD My Book USB Device 465.76GB USB
-  WDC WD5000AAKS-00YGA0 465.76GB IDE



DESKTOP07

Dell Inc. OptiPlex 755

Role: 1
IP: 192.168.xxx.xx (00:1E:4F:E5:C5:19)
Last Scanned: Apr-07-2009 12:02PM
Dell Service Tag: [ABC1234](#)

Microsoft Windows XP Professional Service Pack 3 (build 2600)

Windows Serial No.: 00000-000-0000000-00000
Windows Product Key: XXXXX-XXXXX-XXXXX-XXXXX-XXXXX

-  Intel(R) Core(TM)2 Duo CPU E6550 @ 2.33GHz (2.30GHz, 4096KB Level 2 cache)
-  Phoenix ROM BIOS PLUS Version 1.10 A13: DELL - 15, A13
-  4,096 MB RAM
-  TEAC USB HS-CF Card USB Device 0.00GB USB
-  TEAC USB HS-MS Card USB Device 0.00GB USB
-  TEAC USB HS-SD Card USB Device 0.00GB USB
-  TEAC USB HS-xD/SM USB Device 0.00GB USB
-  WDC WD800ADFS-75SLR2 74.50GB IDE



DESKTOP08

System manufacturer System Product Name

Role: 1
 IP: 192.168.xxx.xx (00:13:D4:28:3D:EA)
 Last Scanned: Oct-21-2008 12:07PM
 Serial Number: System Serial Number

Microsoft Windows XP Professional Service Pack 3 (build 2600)

Windows Serial No.: 00000-000-0000000-00000
 Windows Product Key: XXXXX-XXXXX-XXXXX-XXXXX-XXXXX

-  Intel(R) Pentium(R) 4 CPU 3.20GHz (3.20GHz, 0KB Level 2 cache)
-  BIOS Date: 03/20/06 19:00:40 Ver: 08.00.10: A M I - 3000620, 0603
-  2,048 MB RAM
-  ST3200822AS 186.31GB IDE
-  VIA-P VT6205-DevB USB Device 0.00GB USB
-  VIA-P VT6205-DevM USB Device 0.00GB USB
-  WDC WD740ADFD-00NLR1 69.24GB IDE






DESKTOP09

System Manufacturer System Name

Role: 1
 IP: 192.168.xxx.xx (00:0E:A6:18:A7:C8)
 Last Scanned: Feb-10-2009 12:13PM
 Serial Number: EVAL

Microsoft Windows XP Professional Service Pack 3 (build 2600)

Windows Serial No.: 00000-000-0000000-00000
 Windows Product Key: XXXXX-XXXXX-XXXXX-XXXXX-XXXXX

-  Intel(R) Pentium(R) 4 CPU 2.80GHz (2.80GHz, 0KB Level 2 cache)
-  Award Modular BIOS v6.0: ASUS - 42302e31, ASUS P4PE-X ACPI BIOS Revision 1004
-  1,024 MB RAM
-  WDC WD800BB-00CAA1 74.53GB IDE
-  WDC WD800BB-00CAA1 74.53GB IDE


DESKTOP10


To Be Filled By O.E.M. To Be Filled
By O.E.M.


Role: 1
 IP: 192.168.xxx.xx (00:0E:A6:0A:FB:AF)
 Last Scanned: Nov-18-2008 12:09PM
 Serial Number: none


Microsoft Windows XP
Professional Service Pack 3
(build 2600)


Windows Serial No.: 00000-000-0000000-00000
 Windows Product Key: XXXXX-XXXXX-XXXXX-XXXXX-XXXXX

 Intel(R) Pentium(R) 4 CPU 3.00GHz (3.00GHz, 0KB Level 2 cache)

 BIOS Date: 08/20/03 12:57:55 Ver: 08.00.09: A M I - 8000320, 080009

 1,792 MB RAM

 Maxtor 6Y060L0 57.27GB IDE

 WDC WD800JB-00ETA0 74.53GB IDE

Laptops




DESKTOP11

Dell Inc. Latitude D610


Role: 1
 IP: 192.168.xxx.xx (00:12:3F:08:56:01)
 Last Scanned: Oct-28-2008 12:12PM
 Dell Service Tag: [ABC1234](#)


Microsoft Windows XP Professional
Service Pack 3 (build 2600)

Windows Serial No.: 00000-000-0000000-00000

 Intel(R) Pentium(R) M processor 1.86GHz (1.90GHz, 2048KB Level 2 cache)

 Phoenix ROM BIOS PLUS Version 1.10 A06: DELL - 27d50a02, A06

 512 MB RAM

 ST910021A 93.16GB IDE





DESKTOP12

Dell Inc. Latitude D630

Role: 1
 IP: 192.168.xxx.xx (00:1C:23:57:7D:52)
 Last Scanned: Apr-07-2009 12:02PM
 Dell Service Tag: [ABC1234](#)

Microsoft Windows XP Professional Service Pack 3 (build 2600)

Windows Serial No.: 00000-000-0000000-00000
 Windows Product Key: XXXXX-XXXXX-XXXXX-XXXXX-XXXXX

-  Intel(R) Core(TM)2 Duo CPU T7500 @ 2.20GHz (2.20GHz, 4096KB Level 2 cache)
-  Phoenix ROM BIOS PLUS Version 1.10 A12: DELL - 27d80614, A12
-  2,048 MB RAM
-  Hitachi HTS722012K9A300 111.79GB IDE
-  WDC WD40 0JB-00JJC0 USB Device 37.27GB USB



DESKTOP13

Dell Inc. Latitude D610

Role: 1
 IP: 192.168.xxx.xx (00:12:3F:0A:9C:F1)
 Last Scanned: Oct-28-2008 12:12PM
 Dell Service Tag: [ABC1234](#)

Microsoft Windows XP Professional Service Pack 3 (build 2600)

Windows Serial No.: 00000-000-0000000-00000
 Windows Product Key: XXXXX-XXXXX-XXXXX-XXXXX-XXXXX

-  Intel(R) Pentium(R) M processor 1.86GHz (1.90GHz, 2048KB Level 2 cache)
-  Phoenix ROM BIOS PLUS Version 1.10 A06: DELL - 27d50a02, A06
-  1,536 MB RAM
-  ST910021A 93.16GB IDE







DESKTOP14

Dell Inc. Latitude D630

Role: 1
 IP: 192.168.xxx.xx (00:1C:23:2D:FC:9D)
 Last Scanned: Apr-07-2009 12:02PM
 Dell Service Tag: [ABC1234](#)

Microsoft Windows XP Professional Service Pack 3 (build 2600)

Windows Serial No.: 00000-000-0000000-00000
 Windows Product Key: XXXXX-XXXXX-XXXXX-XXXXX-XXXXX

-  Intel(R) Core(TM)2 Duo CPU T7500 @ 2.20GHz (2.20GHz, 4096KB Level 2 cache)
-  Phoenix ROM BIOS PLUS Version 1.10 A04: DELL - 27d70b01, A04
-  2,048 MB RAM
-  ST980813ASG 74.53GB IDE



DESKTOP15

Dell Inc. Latitude D610

Role: 1
IP: 192.168.124.185 (00:14:A5:58:E4:90)
Last Scanned: Apr-07-2009 12:02PM
Dell Service Tag: [ABC1234](#)

Microsoft Windows XP Professional Service Pack 3 (build 2600)

Windows Serial No.: 00000-000-0000000-00000
Windows Product Key: XXXXX-XXXXX-XXXXX-XXXXX-XXXXX

-  Intel(R) Pentium(R) M processor 1.86GHz (1.90GHz, 2048KB Level 2 cache)
-  Phoenix ROM BIOS PLUS Version 1.10 A06: DELL - 27d50a02, A06
-  1,536 MB RAM
-  IC25N040ATCS05-0 37.26GB IDE







DESKTOP16

Dell Inc. Latitude D830

Role: 1
IP: 192.168.xxx.xx (00:1C:23:A5:1E:EF)
Last Scanned: Mar-24-2009 12:07PM
Dell Service Tag: [ABC1234](#)

Microsoft Windows XP Professional Service Pack 3 (build 2600)

Windows Serial No.: 00000-000-0000000-00000
Windows Product Key: XXXXX-XXXXX-XXXXX-XXXXX-XXXXX

-  Intel(R) Core(TM)2 Duo CPU T7300 @ 2.00GHz (2.00GHz, 4096KB Level 2 cache)
-  Phoenix ROM BIOS PLUS Version 1.10 A05: DELL - 27d70b05, A05
-  2,048 MB RAM
-  Hitachi HTS722012K9A300 111.79GB IDE

